


USER MANUAL



mobilityHDOTM

HATCH DOOR OPENER



240.UM.EN

Mobility
NETWORKS
VEHICLE ACCESSIBILITY SOLUTIONS

ENGLISH

The information provided herein may not be reproduced and/or published in any form, by print, photoprint, microfilm or any other means whatsoever (electronically or mechanically) without the prior written authorization of **Handicare**.

The information provided is based on general data concerning the construction known at the time of the publication of this manual. **Handicare** executes a policy of continuous improvement and reserves the right to changes and modifications.


The information provided is valid for the product in its standard version. Handicare can therefore not be held liable for any damage resulting from specifications of the product deviating from the standard configuration. Illustrations contained in the manual may deviate from the configuration of your product.

The information made available has been prepared with all possible diligence, but **Handicare** cannot be held liable for any errors contained in the information or the consequences thereof. **Handicare** accepts no liability for loss resulting from work executed by third parties. Names, trade names, trademarks etc. used by **Handicare** may not, as per the legislation concerning the protection of trade names, be considered as being available.

Quick guide

Using the HDO:


A



WARNING: Keep a safe distance when opening the hatch!


A. Press the button  to activate the HDO.

B




B. Press and hold the button  to open the hatch door.

C



C. Press and hold the button  to close the hatch door.

D



WARNING: Keep a safe distance when closing the hatch!

D. Press the button  to deactivate the HDO.

mobilityHDO[®]
HATCH

M  **bility**
NETWORKS
VEHICLE ACCESSIBILITY SOLUTIONS